



ZHEJIANG CFMOTO POWER CO., LTD.
No. 116, Wuzhou Road, Yuhang Economic Development Zone Hangzhou 311100, Zhejiang Province.

✉ Info@cfmoto.com

🌐 <https://www.cfmoto.com/global>

📘 @CFMOTOOFFICIAL (CFMOTO Official)

📷 @cfmotoofficial (CFMOTO)

📺 CFMOTO

Copyright Zhejiang CFMOTO Power co., Ltd. 2022. All rights reserved. Photos are for illustrative purposes only. The vehicle configuration may be subject to change due to local laws and regulations in different countries and regions. Vehicle specifications are subject to change without notice. Imagery may not reflect most current product specifications. CFMOTO reserves the right to make improvements and/or design changes without any obligation to modify previously sold, assembled or fabricated equipment.

2025 OFF-ROAD VEHICLES



2025 OFF-ROAD VEHICLES



ATV

CFORCE 450 / CFORCE 450 L
CFORCE 520 / CFORCE 520 L
CFORCE 625 / CFORCE 625 TOURING
CFORCE 625 TOURING OVERLAND
CFORCE 850 TOURING
CFORCE 1000 TOURING
CFORCE 1000 OVERLAND

UTV

U10 PRO / U10 PRO HIGHLAND
UFORCE 600
UFORCE 800 XL
UFORCE 1000
UFORCE 1000 XL

SSV

ZFORCE 800 TRAIL / 950 TRAIL
ZFORCE 950 SPORT
ZFORCE 950 SPORT-4

YOUTH

CFORCE 110
CFORCE EV110

ATV CFORCE



CFORCE 450 / 450 L

CFMOTO answers the call of customers looking for a rugged, maneuverable and affordable midsize machine with the CFORCE 450. Built tough to handle the demands of your day, its quality starts with a high-strength steel-frame backbone, matched to a proven single-cylinder liquid-cooled SOHC engine and smooth CVT transmission. The robust output of the 400cc engine, plush suspension travel, four hydraulic disc brakes, 24-inch AT tires, comfortable ergonomics and 1350-lb towing capability puts the CFORCE 450 on par with bigger brands in all aspects. Whether you're moving equipment on your property or tending to the livestock, the CFORCE 450 has the advanced features, accessories and all-day comfort to get the job done.



CFORCE



Regarding the look of CFMOTO products, please refer to the dealer's actual product.

Nebula Black

Jet Black

Hunter Green

Magma Red

TrueTimber Camo



CFORCE 520 / 520 L

With a tighter turning radius, a stronger frame, even more suspension travel and comfort, and increased loading capacity, the CFORCE 520 will take on your toughest tasks, and still be ready for fun when the work is done. The 495cc engine of the CFORCE 520 adds more power and more possibilities to CFMOTO's venerable ATV platform. Fortified with EPS, bigger torque and premium accessories such as RIDEVISION® LED lights, aluminum alloy wheels, and 25-inch AT tires bring its rugged capability to a new level. Handguards, and interchangeable luggage racks with the CFCONNECT quick-release system add comfort and convenience. Standard features like a remote-control 2500-lb winch and an array of available accessories make the CFORCE 520 an ideal machine to outfit for your adventure.

CFORCE



Regarding the look of CFMOTO products, please refer to the dealer's actual product.

CFORCE 625/625 TOURING

With a focus on upgrading power, CFMOTO offers a revised 580cc liquid-cooled 4-valve single-cylinder engine in the CFORCE 625. Power delivery remains smooth, predictable and strong, now with an all-around higher output across the power band. An all-new ECU and electronic throttle ensure the torque is maximized throughout the rpm range, and also makes it possible to equip the CFORCE 625 with Dual Power Modes, to suit the needs of your work throughout the day. EPS, full hydraulic disc brakes, double A-arm suspension continues to provide a comfortable ride and agile performance. The camo version is specially equipped with dark alloy rims, ideal for hunting activities. The CFORCE 625 comes in both single rider and two-up versions.



CFORCE

The Rugged Beyond



Regarding the look of CFMOTO products, please refer to the dealer's actual product.

CFORCE 625 TOURING OVERLAND

Built with the ultimate CFORCE 1000 OVERLAND in mind, the CFORCE 625 TOURING OVERLAND is a factory, adventure-ready platform that will take you and your best half wherever the trail leads. Clear wind shield assembly is built in. Large store space (90 liters), can hold 2 open-face helmets and 1 full-face helmet. Front and back bumpers, which protect LED lights, come as standard. Full-length skid plate is made of aluminum and comes as standard. Thinness of 5mm. Full protection of bottom and front parts of the ATV. The only thing left for us to do is get outdoors and start our adventure.



Granite Ridge

VSX Midnight Camo



CFORCE



Regarding the look of CFMOTO products, please refer to the dealer's actual product.

Lava Orange

Tundra Grey

TrueTimber Camo



CFORCE 850 TOURING

More power, more advanced technology and capability, unbeatable functionality, with an undiluted dose of off-road excitement. The CFORCE 850 TOURING is the top-class ATV that tackles every terrain and challenges with an attitude that manifests as "unstoppable" and leaves the competition in the dust. This model offers superior performance with a powerful 75-horsepower engine, EFI-calibrated burst sensors, and a distinctive hexagon grille with high-intensity LED headlights. It features 285mm of ground clearance and 14-inch alloy wheels for safety on challenging terrains. This model also includes front double A-arm and rear trailing-arm suspension, ensures a smooth ride with adjustable shocks for comfort, suitable for various loads and passenger accommodations.



CFORCE 1000 TOURING

The new CFORCE 1000 TOURING provides more than just ultimate performance; it's a superior balance between power, precision, and comfort. It's not just raw force; it's about using it with confidence. With improved performance across the board, the engine's power has been increased to 90 horsepower. The design of the sides with the large 14-inch alloy wheels ensure that you are safe and easy to recognize when the terrain becomes uncertain. The double A-arm suspension and rear trailing-arm suspension deliver performance while maintaining a smooth ride even on tough terrain. With fully adjustable shocks, you can customize the suspension to suit your needs, whether it's lighter loads or accommodating a passenger.



Lava Orange

Tundra Grey

Zircon Black

Forest Green

TrueTimber Camo

Regarding the look of CFMOTO products, please refer to the dealer's actual product.

CFORCE 1000 OVERLAND

The OVERLAND is the premium flagship of the CFORCE line. Factory-fitted extras to the most powerful ATV from CFMOTO include beadlock rims, front and rear protector bars, LED riding lights, an 8mm HDPE full-length skid plate, premium camo paint, fender extenders and windshield. All-day comfort, precise handling and premium onboard equipment give you the freedom to explore, and the freedom to take it all with you. Generous storage capacity and room for a passenger mean you can get away for an afternoon, a day, or even a weekend with everything you need for comfort and convenience in the great beyond.

RIDEVISION



Desert Tan



Forest Green



CFORCE

Focus On The Adventure



Regarding the look of CFMOTO products, please refer to the dealer's actual product.

UTV





U10 PRO / U10 PRO HIGHLAND

All-new U10 PRO redefining what a top full-size UTV can be and launching a new era for the UFORCE family. The U10 PRO offers impressive all-around elevated performance for both work and play. The U10 PRO is powered by a new CFMOTO 998cc triple-cylinder natural-aspirated engine. Producing 90 horsepower and 94.5Nm of peak torque, the new engine is paired with CFMOTO CVT transmission with all-wheel drive, hill descent control, power modes, and the exclusive Variable-Valve-Timing (VVT) system to boost torque at low rpm and also ensure continuity of engine performance. The Off-road capability reaches a new height for the UFORCE nameplate as well, enabling customers to go further with confidence. It also features an all-new in-cab system with technology integration and premium interior features in its class, including electric driving controls, a 8-inch MMI touchscreen dash, and an adjustable steering wheel and driver seat.



RIDEVISION

Bordeaux Red

Forest Green
(U10 PRO Only)

TrueTimber Camo

Regarding the look of CFMOTO products, please refer to the dealer's actual product.

UFORCE 600

Bursting with standard features such as progressive EPS, the UFORCE 600 is more powerful, more agile and even more work ready than its predecessor. Take on the outdoors with confidence, and power through your workday quicker with lightweight handling, 4x4 capability and a gas-assisted cargo box. In addition to the outstanding base spec, the UFORCE 600 is also highly customizable thanks to the huge CFMOTO accessories catalogue. The UFORCE 600 puts power, capability and versatility in your hands, whether it is geared toward work, fun, or the balance in between.

RIDEVISION

Nebula Black

TrueTimber Camo

Tactical Green

Velocity Grey



UFORCE

THE STRONGER ALL-ROUNDER



Regarding the look of CFMOTO products, please refer to the dealer's actual product.

UFORCE 800 XL

The UFORCE 800 XL is the superior mid-size choice with excellent smoothness and a powerful 800cc engine. Just the right amount of width and agile maneuverability allows you to navigate narrow trails with ease. Experience the ultimate driving comfort with our new double A-arm suspension. This premium feature ensures a plush, smooth ride for you and your loved ones, turning every journey into adventure. With a commanding 300mm ground clearance and 27" tires, you can dominate the trail with ease and confidence. This model comes standard with full LED lights, a roof, a rear cargo box that can hold up to 300kg, and a wide range of accessories are available to provide versatility for both work and leisure activities.

RIDEVISION

Twilight Blue

Nebula Black

TrueTimber Camo



UFORCE

THE STRONGER ALL-ROUNDER



Regarding the look of CFMOTO products, please refer to the dealer's actual product.



UFORCE

UFORCE 1000

The UFORCE 1000 is the all-round winner in the CFMOTO utility range with neutral ergonomics, outstanding design, potent power and excellent handling performance. Switchable 2WD/4WD technology and additional integrated technologies further improve its premium utility performance. The UFORCE 1000 will help you tackle your toughest tasks while ensuring a comfortable, safe and capable ride.



RIDEVISION

Nebula Black

Desert Tan

Twilight Blue

TrueTimber Camo

Regarding the look of CFMOTO products, please refer to the dealer's actual product.

UFORCE 1000 XL

The UFORCE 1000 XL boosts the toughest UTV in the CFMOTO family to a six-seater. Based on the powerful and rugged UFORCE 1000 platform, this all-new model's strong performance allows the vehicle to move your crew and equipment with greater efficiency. Whether it's getting your staff to the job-site, or getting your family to the lake for some fun, the UFORCE 1000 XL gives you the power to get it done in less time.

RIDEVISION

Nebula Black

Desert Tan

Twilight Blue

TrueTimber Camo



UFORCE

THE POWER OF VERSATILITY

Regarding the look of CFMOTO products, please refer to the dealer's actual product.

SSV ZFORCE



ZFORCE 800 TRAIL

The new ZFORCE 800 TRAIL offers an agile side-by-side without trading off a dynamic driving experience. The liquid-cooled, fuel-injected, four-stroke V-twin 800cc engine is married to a CVT transmission and has two power modes for smooth trail riding. Many updates include new exterior design, new LED front light, more robust half doors, a new side air intake with frog-skin filter, restyled 14-inch alloy wheels. Inside the cabin, there's a new 5-inch LCD gauge, flat-bottomed steering wheel, waterproof storage compartments, improved sports seats and smartphone connectivity.

 Nebula Black



ZFORCE 950 TRAIL

The ZFORCE 950 TRAIL is an agile side-by-side that doesn't sacrifice a thrilling driving experience. Its width is 50 inches as this is the TRAIL version. This means that you'll be able to easily navigate twisting trails. Its 963cc V-twin engine with fuel injection and CVT transmission delivers excellent smooth driving. Horsepower comparable to the SPORT model. It also has half doors, 14" alloy rims, a 5" LCD gauge, cargo box, and comfortable sport-style seats and flat-bottom steering wheels.



 Magma Red  Nebula Black

Regarding the look of CFMOTO products, please refer to the dealer's actual product.

ZFORCE 950 SPORT

Let your senses soar to new heights. The ZFORCE 950 SPORT is for the enthusiasts who are with their friends for good recreational time or into an expedition. It retains the 963cc liquid-cooled V-twin four-stroke engine of its predecessor, featuring EFI, and electric throttle and CVT transmission, tuned to deliver even more muscle for your adventure. Rear cargo box with cover increases to 158L of storage, capable of hauling 150 kg. From the weekenders seeking a remote getaway to the bold who welcome a challenge, the connection is found from the seat of this new model.



ZFORCE



Regarding the look of CFMOTO products, please refer to the dealer's actual product.



ZFORCE

ZFORCE 950 SPORT-4

Four seats and a drive you'll want to share with your besties: The ZFORCE 950 SPORT-4 offers V-Twin engine thrills in an agile, trail-friendly 60-inch package for four grown-ups. Performance, comfort, first-rate settings, and great value are all hallmarks of the ZFORCE 950 SPORT-4. Accessories for the new ZFORCE series are available from CFMOTO in a wide variety, ensuring a snug fit and seamless integration with your side-by-side. With this, modern-day adventurers on rugged expeditions can go into some of the remotest corners and wildest frontiers.



RIDEVISION

Magma Red

Nebula Black

Twilight Blue

Regarding the look of CFMOTO products, please refer to the dealer's actual product.

YOUTH

ATV

CFORCE



CFORCE 110

The compact, agile off-road chassis of the CFORCE 110 brings more fun to the youth ATV class. The CFORCE 110 is equipped with several of the same performance features found on full-size models including double A-arm independent front suspension, disc brakes and electric start. The 110cc SOHC engine is tuned to produce smooth, linear power that is ideal for learning riders. Electronic technology puts the power of control in parents' hands, and young riders within safety beyond eyesight. Accessible performance means kids can learn at their own pace and their adventures can grow as skills improve.



Baja Blue
Rocket Red

CFORCE

Fire Up The Fun



TECHNICAL DATA

General

Length x Width x Height	1483x943x925 mm
Wheelbase	1020 mm
Minimum Ground Clearance	110 mm
Maximum Speed	45 km/h
Curb Weight	123 kg (wet)
Maximum load Capacity	70 kg
Fuel Capacity	6.7 liter
Age	10+

Engine

Displacement	110cc, EFI
Drive	2WD, chain drive

Chassis

Brake	Hydraulic discs
Suspension	F: Double A-arm independent suspension, 140mm travel R: Mono-shock mid-placed suspension, 165mm travel
Wheels	Front: 10x5.0 Rear: 8x7.0
Tire	Front: AT19x6.00-10 Rear: AT18x9.00-8

Regarding the look of CFMOTO products, please refer to the dealer's actual product.

CFORCE EV 110

With the all-new electric powered CFORCE EV110, CFMOTO not only makes its mark in ATV history, but also delivers on the brand promise "Experience More Together." Set your growing rider on the course for fun and adventure with the all-electric CFORCE EV110 ATV. Easy to operate, low maintenance and impressive off-road performance, the EV110 is capable of big fun for riders 10 years and up, while also fully equipped with safety features for parents' peace of mind.



CFORCE



TECHNICAL DATA

General

Length x Width x Height	1500x940x940 mm
Wheelbase	1020 mm
Minimum Ground Clearance	115 mm
Maximum Speed	45 km/h
Curb Weight	130 kg (wet)
Maximum load Capacity	75 kg
Age	10+
Drive	2WD, chain drive
Estimate Range	60km (30km/h, 25 °C), or 3+ hours run time

Power

E-motor	44V, 1500W electric motor (max output 4500W)
Power(HP)/Torque(N.m)	4.5kw, 40N.m
Battery Capacity	44V, 53Ah, 2400Wh, Lithium. With BMS.

Chassis

Brake	Hydraulic discs
Suspension	F: Double A-arm independent suspension, 140mm travel R: Mono-shock mid-placed suspension, 165mm travel
Wheels	Front: 10x5.0 Rear: 8x7.0
Tire	Front: AT19x6.00-10 Rear: AT18x9.00-8

Regarding the look of CFMOTO products, please refer to the dealer's actual product.



CFORCE 450/450L

General	
Length x Width x Height	S: 2186x1157x1372 mm L: 2386x1125x1400 mm
Wheelbase	S: 1260mm L: 1460mm
Minimum Ground Clearance	250 mm
Minimum Turning Diameter	S: 5600mm L:6500mm
Curb Weight	S: 336 kg L: 350 kg (EPA S: 332 kg L: 346 kg)
Payload Capacity	240 kg (EPA S: 170kg L:240kg)
Fuel Capacity	17 liter



CFORCE 520/520L

General	
Length x Width x Height	S: 2186x1125x1372 mm L: 2386x1125x1217 mm
Wheelbase	S: 1260mm L: 1460mm
Minimum Ground Clearance	262 mm
Minimum Turning Diameter	S: 5600mm L:6500mm
Curb Weight	S: 351 kg L: 365 kg (EPA S: 354kg)
Payload Capacity	240 kg (EPA S: 170kg)
Fuel Capacity	17 liter



CFORCE 625 / 625 TOURING

General	
Length x Width x Height	2035x1180x1220 mm T: 2235x1180x1390mm
Wheelbase	1280mm T: 1480mm
Minimum Ground Clearance	270 mm
Minimum Turning Diameter	7250mm T:7400mm
Curb Weight	395 kg T: 415 kg
Payload Capacity	240 kg (EPA S:140kg T:220kg)
Fuel Capacity	18 liter



CFORCE 625 TOURING OVERLAND

General	
Length x Width x Height	2235x1180x1390mm
Wheelbase	1480 mm
Minimum Ground Clearance	270 mm
Minimum Turning Diameter	7400mm
Curb Weight	415 kg
Payload Capacity	210kg
Fuel Capacity	18 liter



CFORCE 850 TOURING

General	
Length x Width x Height	2445x1264x1450 mm
Wheelbase	1480 mm
Minimum Ground Clearance	285 mm
Minimum Turning Diameter	6700mm
Curb Weight	465 kg
Payload Capacity	300 kg
Fuel Capacity	26 liter



CFORCE 1000 TOURING

General	
Length x Width x Height	2445x1282x1465 mm
Wheelbase	1480 mm
Minimum Ground Clearance	300 mm
Minimum Turning Diameter	6700mm
Curb Weight	472 kg
Payload Capacity	300 kg
Fuel Capacity	26 liter



CFORCE 1000 OVERLAND

General	
Length x Width x Height	2395x1264x1420 mm
Wheelbase	1480 mm
Minimum Ground Clearance	300 mm
Minimum Turning Diameter	7800mm
Curb Weight	490 kg
Payload Capacity	240 kg
Fuel Capacity	30 liter



U10 PRO / U10 PRO HIGHLAND

General	
Length x Width x Height	3097x1645x1945 mm
Wheelbase	2060 mm
Minimum Ground Clearance	330 mm
Minimum Turning Diameter	8500mm
Curb Weight	911 kg
Payload Capacity	750 kg
Fuel Capacity	45 liter

Engine	
Engine Type	Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve
Displacement	400cc
Fuel Supply	Bosch EFI
Transmission	CVT

Engine	
Engine Type	Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve
Displacement	495cc
Fuel Supply	Bosch EFI
Transmission	CVT

Engine	
Engine Type	Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve
Displacement	580 cc
Fuel Supply	Bosch EFI
Transmission	CVT

Engine	
Engine Type	Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve
Displacement	580 cc
Fuel Supply	Bosch EFI
Transmission	CVT

Engine	
Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	800cc
Fuel Supply	Bosch EFI
Transmission	CVT

Engine	
Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	963cc
Fuel Supply	Bosch EFI
Transmission	CVT

Engine	
Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	963cc
Fuel Supply	Bosch EFI
Transmission	CVT

Engine	
Engine Type	Triple-cylinder, 4-stroke, liquid-cooled, DOHC
Displacement	998 cc
Fuel Supply	EFI
Transmission	CVT

Chassis	
Drive	2WD/4WD/Front differential lock
Brake	Four wheel hydraulic disc + rear wheel parking
Suspension	F: Arched double A-arm independent suspension R: Double A-arm independent suspension
Suspension Travel	F: 190mm R: 225mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	12-inch
Tires	Front: 24x8.00-12, 25x8.00-12 Rear: 24x10.00-12, 25x10.00-12
Color	Lava Orange, Jet Black, Hunter Green

Chassis	
Drive	2WD/4WD/Front differential lock
Brake	Four wheel hydraulic disc + rear wheel parking
Suspension	F: Arched double A-arm independent suspension R: Double A-arm independent suspension
Suspension Travel	F: 190mm R: 225mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	12-inch
Tires	Front: 25x8.00-12 Rear: 25x10.00-12
Color	Magma Red, Jet Black, TrueTimber Camo, Hunter Green, Nebula Black

Chassis	
Drive	2WD/4WD/Front differential lock
Brake	Four wheel hydraulic disc + rear wheel parking
Suspension	F: Arched double A-arm independent suspension R: Double A-arm independent suspension
Suspension Travel	F: 160mm R: 210mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	12-inch alloy
Tires	Front: 25x8.00-12, 26x9.00-14, 26x9.00-12 Rear: 25x10.00-12, 26x11.00-14, 26x11.00-12
Color	Nebula Black, Velocity Grey, Hunter Green, Twilight Blue, TrueTimber Camo

Chassis	
Drive	2WD/4WD/Front differential lock
Brake	Four wheel hydraulic disc + rear wheel parking
Suspension	F: Arched double A-arm independent suspension R: Double A-arm independent suspension
Suspension Travel	F: 160mm R: 210mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	12-inch alloy
Tires	Front: 25x8.00-12, 26x9.00-14, 26x9.00-12 Rear: 25x10.00-12, 26x9.00-14, 26x9.00-12
Color	Granite Ridge, VSX Midnight Camo

Chassis	
Drive	2WD/4WD/Front differential lock
Brake	Four wheel hydraulic disc + rear wheel parking
Suspension	F: Double A-arm independent suspension R: Trailing arm independent suspension
Suspension Travel	F: 228mm R: 234mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	14-inch alloy
Tires	Front: 27x9.00-14 Rear: 27x11.00-14
Color	Lava Orange, Tundra Grey, TrueTimber Camo

Chassis	
Drive	2WD/4WD/Front differential lock
Brake	Four wheel hydraulic disc + rear wheel parking
Suspension	F: High clearance A-arm independent R: Trailing arm, independent suspension
Suspension Travel	F: 228mm R: 234mm
Shock Absorber	Piggy back airshocks, adjustable compression, rebound and preload
Wheels	14-inch alloy
Tires	Front: 27x9.00-14 Rear: 27x11.00-14
Color	Zircon Black, Tundra Grey, Lava Orange, Forest Green, TrueTimber Camo

Chassis	
Drive	2WD/4WD/Front differential lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F: High clearance A-arm independent R: Trailing arm, independent suspension
Suspension Travel	F: 170mm R: 190mm
Shock Absorber	Piggy back airshocks, adjustable compression, rebound and preload
Wheels	14-inch alloy, beadlock
Tires	Front: 27x9.00 R14 Rear: 27x11.00 R14
Color	Desert Tan, Forest Green

Chassis	
Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F: Double A-arm R: Double A-Arms with sway bar
Suspension Travel	F: 285mm R: 265mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	14-inch alloy
Tires	Front: 29x9.00 R14 Rear: 29x11.00 R14
Color	Bordeaux Red, Forest Green(U10 PRO Only), TrueTimber Camo



UFORCE 600

General	
Length x Width x Height	2820x1470x1950 mm
Wheelbase	1950 mm
Minimum Ground Clearance	270 mm
Minimum Turning Diameter	9100mm
Curb Weight	640 kg
Payload Capacity	410 kg
Fuel Capacity	35 liter

Engine	
Engine Type	Single cylinder, liquid-cooled, 4-stroke, SOHC, 4-valve
Displacement	580 cc
Fuel Supply	EFI
Transmission	CVT

Chassis	
Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F/R: Double A-arm independent suspension
Suspension Travel	F: 230mm R: 254mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	12-inch
Tires	Front: 25x8.00 R12, 26x9.00 R12 Rear: 25x10.00 R12, 26x10.00 R12
Color	Nebula Black, TrueTimber Camo, Tactical Green, Velocity Grey



UFORCE 800 XL

Length x Width x Height	3635x1525x2005 mm
Wheelbase	2770 mm
Minimum Ground Clearance	300 mm
Minimum Turning Diameter	11200mm
Curb Weight	775 kg
Payload Capacity	620 kg
Fuel Capacity	40 liter

Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	800 cc
Fuel Supply	EFI
Transmission	CVT

Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F/R: Double A-arm independent suspension
Suspension Travel	F: 230mm R: 254mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	12-inch
Tires	Front: 27x9.00-14 Rear: 27x11.00-14
Color	Twilight Blue, Nebula Black, TrueTimber Camo



UFORCE 1000

Length x Width x Height	2945x1615x1850 mm
Wheelbase	2050 mm
Minimum Ground Clearance	280 mm
Minimum Turning Diameter	8200mm
Curb Weight	690 kg
Payload Capacity	685 kg
Fuel Capacity	40 liter

Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	963 cc
Fuel Supply	EFI
Transmission	CVT

Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F/R: Double A-arm independent suspension
Suspension Travel	F: 230mm R: 230mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	14-inch alloy
Tires	Front: 27x9.00-14 Rear: 27x11.00-14
Color	Twilight Blue, Nebula Black, Desert Tan, TrueTimber Camo



UFORCE 1000 XL

Length x Width x Height	3770x1615x1850 mm
Wheelbase	2850 mm
Minimum Ground Clearance	280 mm
Minimum Turning Diameter	11000mm
Curb Weight	870 kg
Payload Capacity	660 kg
Fuel Capacity	40 liter

Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	963 cc
Fuel Supply	EFI
Transmission	CVT

Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F/R: Double A-arm independent suspension
Suspension Travel	F: 230mm R: 230mm
Shock Absorber	Spiral spring oil shock absorber
Wheels	14-inch alloy
Tires	Front: 27x9.00-14 Rear: 27x11.00-14
Color	Twilight Blue, Nebula Black, Desert Tan, TrueTimber Camo



ZFORCE 800 TRAIL

Length x Width x Height	3065x1385x1820 mm
Wheelbase	2286 mm
Minimum Ground Clearance	254 mm
Minimum Turning Diameter	without rear diff:9400 mm with rear diff:9100 mm
Curb Weight	640 kg
Payload Capacity	315 kg
Fuel Capacity	37 liter

Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	800 cc
Fuel Supply	EFI
Transmission	CVT

Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F: Double A-arm independent F: Double A-arm independent with 'toe-link control'
Suspension Travel	F: 255mm R: 305mm
Shock Absorber	Adjustable coil spring with oil dampening
Wheels	14-inch alloy
Tires	Front: 26x8.00-14 Rear: 26x9.00-14
Color	Nebula Black



ZFORCE 950 TRAIL

Length x Width x Height	3065x1385x1820 mm
Wheelbase	2286 mm
Minimum Ground Clearance	254 mm
Minimum Turning Diameter	without rear diff:9400 mm with rear diff:9100 mm
Curb Weight	650 kg
Payload Capacity	315 kg
Fuel Capacity	37 liter

Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	963 cc
Fuel Supply	EFI
Transmission	CVT

Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F: Double A-arm independent F: Double A-arm independent with 'toe-link control'
Suspension Travel	F: 255mm R: 305mm
Shock Absorber	Adjustable coil spring with oil dampening
Wheels	14-inch alloy
Tires	Front: 26x8.00-14 Rear: 26x9.00-14
Color	Magma Red, Nebula Black



ZFORCE 950 SPORT

Length x Width x Height	3065x1524x1870 mm
Wheelbase	2286 mm
Minimum Ground Clearance	305 mm
Minimum Turning Diameter	without rear diff:10500mm with rear diff:10200mm
Curb Weight	675 kg
Payload Capacity	315 kg
Fuel Capacity	37 liter

Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	963 cc
Fuel Supply	EFI
Transmission	CVT

Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F: Double A-arm independent F: Double A-arm independent with 'toe-link control'
Suspension Travel	F: 307mm R: 334mm
Shock Absorber	Piggyback gas shock with adjustable compression and rebound damping
Wheels	14-inch alloy
Tires	Front: 27x9.00 R14 Rear: 27x11.00 R14
Color	Magma Red, Nebula Black, Twilight Blue



ZFORCE 950 SPORT-4

Length x Width x Height	3827x1524x1880 mm
Wheelbase	3048 mm
Minimum Ground Clearance	305 mm
Minimum Turning Diameter	without rear diff: 12200mm
Curb Weight	795 kg
Payload Capacity	475kg (EU/LOF) 450kg (EU/LOF)
Fuel Capacity	37 liter

Engine Type	V-twin cylinder, liquid-cooled, 4-stroke, SOHC, 8-Valve
Displacement	963 cc
Fuel Supply	EFI
Transmission	CVT

Drive	Switchable 2WD/4WD/4WD Lock
Brake	Four wheel hydraulic disc + rear wheel side parking
Suspension	F: Double A-arm independent F: Double A-arm independent with 'toe-link control'
Suspension Travel	F: 307mm R: 334mm
Shock Absorber	Piggyback gas shock with adjustable compression and rebound damping
Wheels	14-inch alloy, beadlock
Tires	Front: 27x9.00 R14 Rear: 27x11.00 R14
Color	Magma Red, Nebula Black, Twilight Blue