

ZHEJIANG CFMOTO POWER CO., LTD.

No. 116, Wuzhou Road, Yuhang Economic Development Zone Hangzhou 311100, Zhejiang Province.

✉ [Info@cfmoto.com](mailto:Info@cfmoto.com)

🌐 <https://www.cfmoto.com/global>

📘 @CFMOTOOFFICIAL (CFMOTO Official)

📷 @cfmotoofficial (CFMOTO)

📺 CFMOTO

Copyright Zhejiang CFMOTO Power co., Ltd. 2022. All rights reserved. Photos are for illustrative purposes only. The vehicle configuration may be subject to change due to local laws and regulations in different countries and regions. Vehicle specifications are subject to change without notice. Imagery may not reflect most current product specifications. CFMOTO reserves the right to make improvements and/or design changes without any obligation to modify previously sold, assembled or fabricated equipment.

# ACCESSORIES

## 2024 CFMOTO



### Front Rack Extender Assembly

Accessory Code: 9DQV-802200-3000

- Steel Tube Diameter:  $\varnothing$ 22mm
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 400 S / 400 Touring, Easy to install
- Helps keep cargo securely in place

\*\*Apply to CFORCE 400 S / 400 Touring only



### Rear Rack Extender Assembly

Accessory Code: 9DQV-802300-3000

- Steel Tube Diameter:  $\varnothing$ 22mm
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 400 S / 400 Touring, Easy to install
- Helps keep cargo securely in place

\*\*Apply to CFORCE 400 S / 400 Touring only



### Seat Cover

Accessory Code: 9DQV-808400-3000

- CFMOTO Seat Cover is designed for CFORCE 400S and CFORCE 500S (short version)
- It is made of canvas, and has drawstring and elastic cloth strap to ensure cover ATV seat firmly.
- Puncture-proof, Flame retardant, Tear-proof
- Seat cover is used to protect seat and make the riding comfortable.



### Extended Fender Flares Assembly

Accessory Code: 9DQV-803100-3000

- Made of high strength polyethylene (thickness 2.5mm) for abrasion resistance
- Ultimate durability
- Integrated extended fender flares for full body protection from dirt and water



### Hand Guard Kit

Accessory Code:

- 9DRV-804500-3000 New Royal Blue
- 9DRV-804600-3000 Camo
- 9DRV-804700-3000 Red
- 9DRV-804800-3000 Orange
- 9AW#-804700-2000 Black

- Protect driver's hands
- Hard plastic cover and plastic bracket
- Fit on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring perfectly



### Cargo Box Assembly (Plastic latch)

Accessory Code: 9DQV-806100-3001

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.

# CFORCE



## Cooler Box Assembly

Accessory Code: 9CQV-806800-3000

- 46L (12 U.S. gallon) cooler box.
- With CFConnect clamps, cooler box can be easily installed and un-installed.
- Rotomolded construction provides extreme rigidity and durability.
- Good seal and premium-quality foam insulation can ensure optimal ice retention.
- One removable compartment protects food.
- Use 2 robust rubber latches ensure the cover tightly closed.
- One drain plug can drain liquid from the cooler box easily.

\*\*This cooler box can be installed on CFORCE 520 / 520 L (Europe and others). But it can not be installed on CFORCE 450 / 450 L.

\*\*This cooler box can be installed on UFORCE 600 which equipped front rack. But Consumer's front sight will be affected by the box. So consumers can order the cooler box as their need.



## Windshield Assembly

Accessory Code: 9DQV-805200-3000

- Made of impact-resistant 5mm thickness Acrylic
- Stable, quiet at low speed riding condition
- Excellent visibility, UV and weather endurance with no yellowing
- Driver wind protection
- Easy to install



## Front Cargo Box Assembly (new lock latch)

Accessory Code: 9DQV-806200-3001

- Large storage capacity (14 Gallons, 54 Liters)
- Stylish look, Heavy duty plastic.
- The lid can be lifted by spring support, no fall down.
- The lid is multi-functional, with mounting holes for installing CFMOTO tool holders (852114-00001) or rack extender (9DQV-802200-3000), so some items can be loaded on the box firmly. (tools holders and rack extender need to be purchased individually.)
- With CFConnect, Easy to install and un-install, Tool-less.
- With water seal on the lid and No mounting holes inside of the box, a perfect water tight seal.
- The box bottom has draining hole for easy cleaning the inside of the box.
- Perfectly fit on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring.

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring.

\*\*Rack extender and tools holders need to be purchased separately.



## Cargo Box Assembly (Plastic latch)

Accessory Code: 9DQV-806100-3001

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face
- helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.



## Mounting Bracket, Hitch Kit

Accessory Code: 9DQV-808300-3000

- This mounting bracket can be installed on vehicle for receiving 2 inch hitch kit.
- Easy to install and remove
- E-coated with black powder coat

\*\* This mounting bracket is available for U.S. 2023MY and later 400cc and 500cc ATVs, because of U.S. 2023MY and later 400cc and 500cc ATVs has no mounting bracket as standard part.



## Aluminum A-Arm Protectors

Accessory Code: 9CQV-804400-3000

- Made of aluminum plate (thickness 4mm)
- Ultimate durability, Offering great protection in rough terrain
- The A-Arm protectors can provide excellent protection to vehicle' A-arms. Also it can work with aluminum skid plate (9CQV-804300-3000) or (9DQV-804500-3000) to provide a full and great protection to vehicle.
- Perfectly fit on CFORCE 400 S / Touring & CFORCE 500 S / Touring




## Cargo Box Assembly (new Lock latch)

Accessory Code: 9DQV-806100-3003

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face
- helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the rear cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring.



## Aluminum Skid Plate Assembly – 2UP

Accessory Code: 9CQV-804300-3000

- Made of aluminum plate (thickness 4mm)
- Ultimate durability, Offering great protection in rough terrain
- The aluminum skid plate can provide a good protection to vehicle bottom. And it can work with aluminum A-Arm protectors (9CQV-804400-3000) together to provide a full and great protection to vehicle.
- Perfectly fit on CFORCE 400 S & CFORCE 500 S



## Front Basket Assembly

Accessory Code: 9DQV-802100-3000

- Perfectly fit on CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring
- Large storage capacity can take 3 open face helmets
- Have 7 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools


\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front basket for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring.



## Mounting Bracket for LED light

Accessory Code: 9DQV-801800-3000


- This bracket is designed to mount LED light bar and Pod lights.
- Durable, E-coated with black powder coat
- Perfectly fits on front bumper (9DQV-801100-3001) of CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring, Easy to install



## HDPE Skid Plate Assembly – 2UP

Accessory Code: 9CQV-804200-3001

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, Offering great protection in rough terrain
- The HDPE skid plate assembly includes HDPE A-Arm protectors and HDPE skid plate
- Perfectly fit on CFORCE 400 Touring & CFORCE 500 Touring



## HDPE Skid Plate Assembly – 1UP

Accessory Code: 9DQV-804100-3001

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, Offering great protection in rough terrain
- The HDPE skid plate assembly includes HDPE A-Arm protectors and HDPE skid plate
- Perfectly fit on CFORCE 400 S & CFORCE 500 S



### Front Bumper Assembly

Accessory Code: 9DS#-801100-6000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system

\*\*It does not apply to vehicle equipping metal racks.



### Rear Bumper Assembly

Accessory Code: 9DS#-801200-6000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Works hitch system

\*\* not available for LOF.  
\*\*It does not apply to vehicle equipping metal racks.



### Front Bumper Assembly – light protection

Accessory Code: 9DS#-801400-6000

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system

\*\*It does not apply to vehicle equipping metal racks.



### Rear Bumper Assembly – light protection

Accessory Code: 9DS#-801300-6000

- Steel Tube diameter 32mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Works hitch system

\*\*It does not apply to vehicle equipping metal racks.



### Front Bumper Assembly – light protection

Accessory Code: 9DSV-801500-6000


- Steel Tube diameter 38mm & wall thickness 1.5mm
- Durable, E-coated with black powder coat
- It is used to replace the stock bumper, perfectly fit on X6.
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Works with winch system and plow system



### Rear Bumper Assembly – light protection

Accessory Code: 9DSV-801600-6000

- Steel Tube diameter 38mm & wall thickness 1.5mm
- Durable, E-coated with black powder coat
- It is used to replace the stock bumper, perfectly fit on X6.
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Works hitch system



### Front Rack Extender Assembly - separated

Accessory Code: 9DS#-802100-6000

### Rear Rack Extender Assembly - separated

Accessory Code: 9DS#-802200-6000

- Steel Tube Diameter: φ22mm
- Durable, E-coated with black powder coat
- Easy to install
- Helps keep cargo securely in place
- Small carton package save the freight cost

\*\*It does not apply to vehicle equipping metal racks.



### Front Rack Extender Assembly - one piece

Accessory Code: 9DS#-802300-6000

### Rear Rack Extender Assembly – one piece

Accessory Code: 9DS#-802400-6000

- Integrated rack extender
- Steel Tube Diameter: φ22mm
- Durable, E-coated with black powder coat
- Easy to install
- Helps keep cargo securely in place

\*\*It does not apply to vehicle equipping metal racks.



### Windshield Assembly (new)

Accessory Code: 9DS#-805100-6001

- Made of impact-resistant 5mm thickness Acrylic
- Stable, quiet at low speed riding condition
- UV and weather endurance with no yellowing
- Driver wind protection
- Excellent visibility
- Easy to install



### Aluminum Skid Plate Assembly - 2UP

Accessory Code: 9CS#-804200-6400 (2022MY and prior)

### Aluminum Skid Plate Assembly - 2UP

Accessory Code: 9CS#-804200-6401 (2023MY and 2024MY)

- Made of high strength aluminum (thickness 5mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain

\*\* Rear A-Arm aluminum armor can not be used on 2024MY X6. So Rear A-Arm aluminum armor does not include in the skid plate assembly.  
\*\*But 8mm HDPE A-Arm armor can be used on 2024MY X6. Please contact with the sale person to order that, if you need.



### HDPE Skid Plate Assembly – 1UP

Accessory Code: 9DSV-805300-6000

### HDPE Skid Plate Assembly – 2UP

Accessory Code: 9CSV-805200-6400

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain
- 1UP fit on CFORCE 625 perfectly / 2UP fit on CFORCE 625 Touring perfectly



### Cargo Box Assembly (plastic latch)

Accessory Code: 9DSV-806100-6001

### Cargo Box Assembly (new lock latch)

Accessory Code: 9DSV-806100-6007

- Large storage capacity (24 Gallons, 90 Liters) can take 2 open face helmets and 1 full face helmet
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal

\*\* Passenger infill rack assembly can be used on CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### Rear Cargo Box Assembly

Accessory Code: 9AYV-806100-2A00

- Large storage capacity (30 Gallons, 115 Liters) can take 4 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- Water tight seal
- With CF Connect, Easy to install and un-install, Tool-less
- Fit on CFORCE 625 S/L, CFORCE 850 XC & CFORCE 1000 perfectly

(\*\*For CFORCE 625 S/L, apply to mounting holes B. For CFORCE 850 XC & CFORCE 1000, apply to mounting holes A.)



### Front Bumper Assembly

Accessory Code: 9AWV-801100-8000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Anti-corrosion coating with durable coat finish

\*\* LED lights and the mounting brackets need to be purchased separately.



### Center Cargo Box Assembly

Accessory Code: 9AYV-806200-2A00

- Large storage capacity (15.8 Gallons, 60 Liters)
- Lockable lid, Water tight seal
- With CF Connect, Easy to install and un-install, Tool-less
- Stylish look
- Heavy duty plastic
- Fit on CFORCE 625 Touring, CFORCE 850 XC & CFORCE 1000 perfectly
- No mounting holes inside of cargo box.



### Front Basket Assembly

Accessory Code: 9DSV-802100-6000

- Perfectly fit on CFORCE 625 and CFORCE 625 Touring
- Large storage capacity can take 3 open face helmets
- Have 9 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools

\*\*It does not apply to vehicle equipping metal racks.



### Rear Bumper Assembly

Accessory Code: 9AWV-801200-8000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Anti-corrosion coating with durable coat finish
- Compatible with hitch system



### Rack Extender Assembly

Accessory Code: 9AWV-801300-8000

- Steel Tube Diameter:  $\varnothing$ 22mm
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 850 Touring / CFORCE 1000
- Touring, Easy to install
- Helps keep cargo securely in place



### Passenger Infill Rack Assembly

Accessory Code: 9DSV-803100-6000

- Passenger infill rack extend the loading capacity of ATV
- Built a big flat rear rack for taking big items.
- With CF Connect mounting holes, more Accessories can be installed on the rack easily.
- Easy to install and uninstal, Tool-less

\*\* Passenger infill rack assembly can be used on CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### Cargo Box Assembly (plastic latch)

Accessory Code: 9DSV-806100-6003

### Cargo Box Assembly (new lock latch)

Accessory Code: 9DSV-806100-6006

- Large storage capacity (24 Gallons, 90 Liters) can take 2 open face helmets and 1 full face helmet
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal

\*\*It does not apply to vehicle equipping metal racks.



### Front Windshield Assembly

Accessory Code: 9AWV-805100-8000


- Made of impact-resistant 5mm thickness Acrylic
- Stable, quiet at low/speed riding condition
- UV and weather endurance with no yellowing
- Driver wind protection
- Excellent visibility
- Easy to install



### HDPE Skid Plate Assembly

Accessory Code: 9AWV-806100-8000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, High impact strength
- HDPE skid plate assembly works with aluminum A-Arm protectors (9AWV-806300-8000). (Aluminum A-Arm Protectors need to be purchased separately.)
- Offering great protection in rough terrain



### Aluminum Skid Plate Assembly

Accessory Code: 9AWV-806200-8000

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High impact strength
- Aluminum skid plate (9AWV-806200-8000) can work with 8mm HDPE skid plate (9AWV-806200-8000) or 4mm Aluminum A-Arm Protectors (9AWV-806100-8000).
- Offering great protection in rough terrain



### Aluminum A-arm Protectors

Accessory Code: 9AWV-806300-8000

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High impact strength
- Aluminum skid plate (9AWV-806200-8000) can work with 8mm HDPE skid plate (9AWV-806200-8000) or 4mm Aluminum A-Arm Protectors (9AWV-806100-8000).
- Offering great protection in rough terrain



### Rear Bumper Assembly – Overland

Accessory Code: 9AW#-801200-2000

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Anti-corrosion coating with durable coat finish
- Works hitch system



### Passenger Infill Rack Assembly

Accessory Code: 9DSV-803100-6000

- Passenger infill rack extend the loading capacity of ATV
- Built a big flat rear rack for taking big items.
- With CF Connect mounting holes, more Accessories can be installed on the rack easily.
- Easy to install and remove, Tool-less

\*\* Passenger infill rack assembly can be used on CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### Front Basket Assembly

Accessory Code: 9DQV-802100-3000

- Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring
- Large storage capacity can take 3 open face helmets
- Have 7 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front basket for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFOCE 1000 Touring.



### Cooler Box Assembly

Accessory Code: 9CQV-806800-3000

- 46L (12 U.S. gallon) cooler box.
- With CFConnect clamps, cooler box can be easily installed and un-installed.
- Rotomolded construction provides extreme rigidity and durability.
- Good seal and premium-quality foam insulation can ensure optimal ice retention. One removable compartment protects food. Use 2 robust rubber latches ensure the cover tightly closed. One drain plug can drain liquid from the cooler box easily.

\*\*This cooler box can be installed on CFORCE 520 / 520 L and CFORCE 850 Touring & CFORCE 1000 Touring.

\*\*This cooler box can be installed on UFORCE 600 which equipped front rack. But Consumer's front sight will be affected by the box. So consumers can order the cooler box as their need.



### Rear Left Power Window Door Assembly

Accessory Code: 9AWA-800100

- Steel Tube diameter 35mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides front protection of vehicle
- Headlight protection
- Anti-corrosion coating with durable coat finish
- Works with winch system and plow system

\* the power doors are available for 2023MY and 2024MY U10 XL



### Rear Bumper Assembly – Light Protection

Accessory Code: 9AWA-800200

- Steel Tube diameter 35mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides rear protection of vehicle
- Taillight protection
- Anti-corrosion coating with durable coat finish
- Works hitch system

\*\*This rear bumper assembly is not available for U.S. 2021MY CFORCE 850 XC & CFORCE 1000.



### Cargo Box Assembly (Plastic latch)

Accessory Code: 9DQV-806100-3001

### Cargo Box Assembly (new Lock latch)

Accessory Code: 9DQV-806100-3003

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.



### Cargo Box Assembly (Rubber latch)

Accessory Code: 9AWV-806300-8001

### Cargo Box Assembly (Lock latch)

Accessory Code: 9AWV-806300-8002

- Large storage capacity (26 Gallons, 100 Liters) can take 2 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- The mounting holes are inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.



### Side Protectors Assembly

Accessory Code: 9AWA-800300

- Steel Tube diameter 30mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to install
- Provides side protection of vehicle
- Anti-corrosion coating with durable coat finish

\*\*Side Protectors need to work with Light-protection-front & rear bumpers together.

\*\* this side protectors kits do not work with skid plates (9AWA-800500) or (9AWV-804100-2000) together.



### Aluminum Winch Armor Assembly

Accessory Code: 9AWA-800400

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection for winch



## Aluminum Skid Plate Assembly

Accessory Code: 9AWA-800500

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection in rough terrain

\*\* this skid plate does not work with side protector kit (9AWA-800300) together.



## Front Cargo Box Assembly (new lock latch)

Accessory Code: 9DQV-806200-3001

- Large storage capacity (14 Gallons, 54 Liters)
- Stylish look, Heavy duty plastic.
- The lid can be lifted by spring support, no fall down.
- The lid is multi-functional, with mounting holes for installing CFMOTO tool holders (852114-00001) or rack extender (9DQV-802200-3000), so some items can be loaded on the box firmly. (tools holders and rack extender need to be purchased individually.)
- With CFConnect, Easy to install and un-install, Tool-less.
- With water seal on the lid and No mounting holes inside of the box, a perfect water tight seal.
- The box bottom has draining hole for easy cleaning the inside of the box.
- Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring.

\*\*need to order 4 CFConnect Base (9DQV-809100-3000) with the front cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFORCE 1000 Touring.



## Rear Cargo Box Assembly

Accessory Code: 9AYV-806100-2A00

- Large storage capacity (30 Gallons, 115 Liters) can take 4 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- Water tight seal
- With CF Connect, Easy to install and un-install, Tool-less
- Fit on CFORCE 625 S/L, CFORCE 850 XC & CFORCE 1000 perfectly (\*\*For CFORCE 625 S/L, apply to mounting holes B. For CFORCE 850 XC & CFORCE 1000, apply to mounting holes A.)



## Center Cargo Box Assembly

Accessory Code: 9AYV-806200-2A00

- Large storage capacity (15.8 Gallons, 60 Liters)
- Lockable lid
- With CF Connect, Easy to install and un-install, Tool-less
- Stylish look
- Heavy duty plastic
- Fit on CFORCE 850 XC & CFORCE 1000 perfectly
- No mounting holes inside of cargo box, a perfect Water tight seal



## Hand Guard Assembly (with Fairing)

Accessory Code: 9AYV-805100-2A00

- Integrated hand guard protect driver's hands
- Hard plastic cover with a small windshield
- Fit on CFORCE 850 XC & CFORCE 1000 perfectly



## 14" Front Wheel Assembly – U.S. Standard

Accessory Code: 9AYV-807100-2A00

- New type 14" Rim,
- New type 27" Tire, for U.S. standard only. Not for Europe Standard.
- Beadlock for 14" Rim
- Fit on CFORCE 850 XC & CFORCE 1000 perfectly



## HDPE Skid Plate Assembly

Accessory Code: 9AWV-804100-2000

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability
- High impact strength, Ultimate durability
- Offering great protection in rough terrain
- Fit on CFORCE 850 XC & CFORCE 1000 perfectly

\*\* this skid plate does not work with side protector kit (9AWA-800300) together.



## A-arm Protector Assembly

Accessory Code: 9AWV-804200-2000

- Made of high strength aluminum (thickness 5mm)
- Painting Black
- Ultimate durability
- Offering great protection for A-arms in rough terrain



## A-arm Protector Assembly

Accessory Code: 9AWA-800600

- Made of high strength aluminum (thickness 3mm)
- Ultimate durability
- High impact strength
- Offering great protection for A-arms in rough terrain



### Canvas Storage Bag

Accessory Code: 9DS#-809200-6000

- This canvas storage bag includes 5 individual storage spaces and 1 portable bag.
- The main storage bag can be divided into 3 pcs spaces by dividers.
- IPX4 waterproof
- Large capacity 99L

\*\*It could be used on CFMOTO with rear rack extender.



### Tools Box Assembly

Accessory Code: 5BYV-804100-1000

- Tool box can take the necessary tools and small items
- Use Velcro to lock the tool box on vehicle, easy to change the place
- With tool box, consumer can get the tool anytime and anywhere.  
L x W x H: 422 x 170 x 57mm (16.6 x 6.9 x 2.2 inch)

\*\*the box does not include tools. Consumers can order tools and put them in the box as needed.

\*\*the box is available for CFMOTO ATV/SxS.



### CFConnect Clamp Kit

Accessory Code: 9DS#-809000-6000

- This kit includes a pair of CFConnect clamps
- CFMOTO owns the patents of CFConnect Clamp.
- CFConnect Clamp can be used on all CFMOTO vehicles for installing and un-installing CFMOTO Accessories easily.
- The clamps can be used to fix CFMOTO cargo boxes, baskets, cooler boxes and bed racks on vehicles firmly.



### Synthetic Winch Rope

Accessory Code: 7020-800750

- High strength winch rope, pull up to 4500 lbs
- Rope length up to 12 meters.
- Light weight, easy to carry
- Durable, sea water resistance, UV resistance and temperature difference repetition, etc
- Convenient, fast and safe operation

\*\*It could be used on any CFMOTO vehicle which equipped with a winch



### Passenger Gauntlet Assembly

Accessory Code: 85214G-00001

- Outer made of Canvas, Inside made of polyester fiber
- Keep passenger's hands warm in the cold weather
- With Velcro and snap-fit, easy to install and remove

\*\* apply to CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### CFMOTO Tool Holder, Pair

Accessory Code: 852114-00001

- Tool Holder FlexGrip™ by ATV-TEK with CFConnect™ system
- A true custom fit for your lifestyle, use it for guns, bows, tools, or any other item.
- CFMOTO riders have effortless installation and versatility thanks to a finger adjustable rotation of the grip and convenient mounting options with CFConnect™

\*\*This holder can work on front box (9DQV-806200-3001).

When install on front box, 2 CFConnect Base (9DQV-809100-3000) need to be purchased and installed individually.

\*\*For CFMOTO vehicles with CFConnect™ system



### Tree Saver Strap

Accessory Code: 9DS#-808302-6000

- Large eyes with heavy duty chafe protection allow for easy rigging
- Bright yellow nylon provide excellent visibility when winching
- Center chafe protects from abrasion damage

\*\*available for ATV/SxS



### Winch Rope Fairlead

Accessory Code: 7030-150701

- Used with CFMOTO winch
- Aluminum fairlead reduces wear on wire rope for heavy attachment application

\*\* \*\*It could be used on any CFMOTO vehicle which equipped with a winch



### CFMOTO Tool Holder, Pair

Accessory Code: 852114-00006

- Tool Holder FlexGrip™ by ATV-TEK with CFConnect™ system
- This holder opening can be adjusted to apply to different size tools
- A true custom fit for your lifestyle, use it for guns, bows, tools, or any other item.
- CFMOTO riders have effortless installation and versatility thanks to a finger adjustable rotation of the grip and convenient mounting options with CFConnect™

\*\*For CFMOTO vehicles with CFConnect™ system



### Whip Flag

Accessory Code: 9DSV-807200-6000

- Make sure everyone knows what you are riding
- Perfect for the dunes and new riders
- 7.5-ft.(2.3m) length
- Includes flag mount

\*\*It could be used on CFMOTO CFORCE 400 S/L & CFORCE 500 S/L  
CFORCE 625 / 625 Touring & CFORCE 850 XC / 1000.



### Winch Fairlead Kit

Accessory Code: 9AWV-808600-8000

- Used with CFMOTO winch
- It includes a fairlead, a hook and a stopper.

\*\*It could be used on any CFMOTO vehicle which equipped with a winch



### Trailer Socket & Adaptor Assembly (6 pins)

Accessory Code: 7020-800200-1000

- Outer made of Canvas, Inside made of polyester fiber
- Keep passenger's hands warm in the cold weather
- With Velcro and snap-fit, easy to install and remove

\*\* apply to CFORCE 625 Touring, CFORCE 850 XC and CFORCE 1000.



### Trailer Socket & Adaptor Assembly (8 pins)

Accessory Code: 9DQV-800200-3000

- Use for all CFMOTO vehicle with trailer
- The socket cover defense against dirt and water
- Power socket is for trailer in most markets, added Adaptor is for North America Market
- It is for 8 pins plug

\*\*For CFMOTO vehicles without trailer power socket.



### Hitch Kit (136mm)

Accessory Code: 7000-808100

- 2 inch hitch kit for ATV/UTV
- 136mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

\*\*CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can pick up the hitch kit which he need.



### Plow Fender

Accessory Code: 5HYV-804400-1000

- For CFMOTO plow
- Wall Thickness: 3mm
- Install on CFMOTO plow system easily
- E-coated with black powder coat
- Reminding: this code is for 1 plow fender, please remember to order a pair of fenders for your plow.

\*\*The other parts of the plow system need to be purchased separately.



### Plow Markers, Pair

Accessory Code: 5HYV-806400-1000

- For CFMOTO plow, Sold in pairs
- Height: 75mm (2.95 inch)
- Bright orange color, help locate the edges of plow
- Install on CFMOTO plow system easily

\*\*The other parts of the plow system need to be purchased separately.



### Hitch Kit (290mm)

Accessory Code: 9AW#-808100

- 2 inch hitch kit for ATV/UTV
- 290mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

\*\*CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can pick up the hitch kit which he need.



### Heated Handlebar Grip Assembly

Accessory Code: 9AWV-808100-8000

- The heating grip kit can make ATV riding be comfortable in the light cold weather.
  - LED dimmer facilitates reading temperature settings
  - 5 temperature settings for thumb and grips
  - Perfectly fit on CFMOTO ATV
- The power of this kit is 51.5W. The heating temperature can reach as high as 40 °C ± in the cold environment.

\*\*It could be used on any CFMOTO vehicle which equipped with a winch



### Plow Strap

Accessory Code: 9DQV-808500-3000

- Apply to CFMOTO plow
- A reliable 45.6 inches (1.16m) length strap that replaces winch rope for lifting plow
- (Total length = 70.5 inches (1.79m))
- 1.25 inches (32mm) Wide design reduces wear and tear on winch roller or fairlead
- Made from durable polyester fiber material, can bear as much as 3200lbs pull capacity

\*\*The other parts of the plow system need to be purchased separately.



### Plow Mount Bracket Assembly

Accessory Code: 9AYV-804200-2000

- For CFORCE 850 XC & CFORCE 1000
- Wall Thickness: 6mm
- Install on the front of vehicle easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### 50" Plow Blade Assembly


Accessory Code: 9AYV-804300-2A00

### 60" Plow Blade Assembly

Accessory Code: 9AWV-804300-2000

- For CFORCE and UFORCE
- Plow wall thickness 2.5mm
- Attach the plow push tube at the front of vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### 50" Plow Deflector Assembly

Accessory Code: 9AWV-804500-2000

### 60" Plow Deflector Assembly

Accessory Code: 9AWV-804500-2000

- For CFMOTO Snow Plow
- Keeps snow from flying into your face
- Made of black hard rubber
- Use metal plate and bolts to lock deflector on plow firmly
- Compatible with plow markers & fenders

\*\*The other parts of the plow system need to be purchased separately.



### Plow Mount Bracket Assembly

Accessory Code: 9DSV-804100-6000

- For CFORCE 400 S / 400 Touring & CFORCE 500 S / 500 Touring & CFORCE 625 & CFORCE 625 Touring
- Wall Thickness: 6mm
- Install on the front of vehicle easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Push Tube Assembly

Accessory Code: 5HYV-804200-1000

- For CFMOTO plow
- Plow wall thickness 5mm
- Attach the plow mount bracket at the front of U6 easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Mount Bracket Assembly

Accessory Code: 9AWV-804100-8000

- For CFORCE 800 Touring & CFORCE 1000 Touring
- Wall Thickness: 6mm
- Install on the front of vehicle easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Push Tube Assembly

Accessory Code: 9AWV-804600-8000

- For CFMOTO plow
- High strength push tube
- Attach the plow mount bracket at the front of CFORCE 800 Touring and CFORCE 1000 easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Vehicle Cover

Accessory Code: 85224Z-00000 (Dark Green)

- 85224Z-00100 (CF Blue)
- 85244Z-00000 (210D Black)
- 85244Z-00100 (200D Black)
- 85244Z-00200 (Trailer)



### Vehicle Storage Cover

Accessory Code: 85224Z-00000 (Dark Green)

85224Z-00100 (CFMOTO Blue)

- CFMOTO storage cover with CFMOTO logo
- With reflecting straps, visually obvious.
- Made of UV-resistant solution 100% polyester
- Protects windshield and vehicle body panels from abrasion
- Weather-resistant cover protects your vehicle during storage and transportation.
- Perfectly fit CFORCE 400 Touring & CFORCE 500 Touring & CFORCE 600 Touring & CFORCE 850 Touring and CFORCE 1000 Touring with or without CFMOTO Accessories (bumpers, rear box, front box, front basket, windshield and others)
- The cover can be fit on CFORCE 400 & CFORCE 500 & CFORCE 600 with or without CFMOTO Accessories, but a little loose.

2024  
CFMOTO





### Side Mirrors Assembly

Accessory Code: 5HY#-805500-1200

- Perfect fit on UFORCE 1000 and UFORCE 1000 XL
- Wide range rear view
- Make UFORCE 1000 ride more safely
- Stable, quiet at low/high speed riding condition
- Compatible with roof, windshield, and other Accessories



### Cargo Bed Wall Extender Assembly

Accessory Code: 5HYV-803000-1000

- Extend the capacity of dumping box
- Tough and Strong
- Anti-corrosion coating with durable coat finish
- This Cage need 12 units quick release clamps (5HY0-809100) to install



### Front Bumper and Rack Kit

Accessory Code: 5HY0-801000

- Includes 6 adjustable heat vents, can blow feet, face and front windshield
- Variable Fan speed, can constantly provide heat/wind
- Heat and fan dash-mounted controls
- Look integrated into vehicle
- Keep cab warm and circulate air



### Audio System Stage - 1

Accessory Code: 5HYV-802000-1000

- Purposely Engineered for CFMOTO  
Audio system specifically for the CFMOTO UFORCE 1000 series
- AM/FM/Bluetooth Source Unit  
High contrast LED screen displays album art Apple iPod / iPhone control controls your Apple device  
Built-in five-band equalizer for easy system adjustments
- 6.5 Inch Composite Coaxial Speakers  
Composite construction deep and accurate midbass  
0.75-inch titanium dome tweeter for crystal clear high frequencies
- High impact Composite Enclosures  
Vehicle specific Front Left & Right speaker panels  
Ultra-Compact design takes up minimal space
- Life Shield IPX rated  
Fully protected against the elements



### Audio System Stage - 2

Accessory Code: 5HYV-801000-1000

- Purposely engineered for CFMOTO  
Speaker system design specifically to work with UFORCE 1000 Audio system Stage-1 (5HYV-801000-1000)
- 6.5 Inch Composite Coaxial Speakers  
Composite construction deep and accurate midbass  
0.75-inch titanium dome tweeter for crystal clear high frequencies
- High impact Composite Enclosures  
Vehicle specific front left & right speaker panels  
Ultra-Compact design takes up minimal space
- 10 Inch Subwoofer  
Application specific long throw high output design  
Low profile sealed enclosures
- 600 Watt High efficiency, Water-Resistant Full Range 5 channel amplifier  
Big power, small chassis design with low current draw
- Life Shield IPX rated  
Fully protected against the elements

\*Audio system stage -2 is one speaker system. It must work with Audio system stage-1 (5HYV-801000-1000). It can not work on UFORCE 1000 by itself.



### Audio Kit, Stage 1

Accessory Code: 5BWV-801030-5000



### Audio Kit, Stage 2

Accessory Code: 5BWV-801040-5000

- Purposely Engineered for CFMOTO ZFORCE 800 Trail, ZFORCE 950 Trail, ZFORCE 950 Sport and ZFORCE 950 Sport-4.  
Audio Kit Stage 1 includes one LED Central control display and 2 stereos. And this kit can be installed on ZFORCE G2 serial separately.  
Audio Kit Stage 2 includes 2 stereos which installed rear ROPS. It need to be installed on ZFORCE G2 serial and work with Audio Kit Stage 1 together.

- Source Unit Features  
7" touch control source unit can QUICK PAIR immediately connects to the last device that was connected and you'll have full Apple Control with Bluetooth capabilities.

- Speaker Features  
These speakers are meticulously engineered to fit in vehicles. They include a 1" Titanium Dome Tweeter that will deliver natural sounding high frequency response, while producing high volume.

- Amplifier Features  
The system is powered by a 320W high efficiency, full Range class D Amplifier. The stereo amplifier is operating in 4 ohm mode in a 2 speaker set up, to increase volume and power, add the rear pods and the amplifier changes automatically to 2 ohm mode to deliver maximum volume for all 4 speakers after the pods are added.

- Mount / Harness  
Plug and Play Harness. Waterproof Connectors with premeasured wires.

- Marine Grade Protection / IP67 Rating



### Side Mirrors Assembly

Accessory Code: 5BY#-805500-1000

- The mirror area bigger than 300 cm<sup>2</sup>
- Aluminum mounting brackets
- Easy to install
- Apply to Europe Standard



### Cargo Box Assembly (plastic latch)

Accessory Code: 5BYV-806100-1001

- Large storage capacity (26 Gallons, ~100 Liters) can take 3 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to install and un-install, Tool-less
- No mounting holes inside of cargo box, a perfect Water tight seal



### Winch Remote Controller

Accessory Code: 5HYV-801500-1000

- Easy to install on UFORCE and ZFORCE
- Must work with CFMOTO winch
- Remote range is 15.2 meters
- Easy control winch working

\*\*it could be used on CFMOTO UFORCE or ZFORCE which equipped with CFMOTO winch.



### Hitch Kit (136mm)

Accessory Code: 7000-808100

- 2 inch hitch kit for ATV/UTV
- 136mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

\*\* CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can order the hitch kit as need.

\*\* Before ordering hitch kit, please ensure your vehicle have hitch mounting bracket firstly.



### Synthetic Winch Rope

Accessory Code: 7020-800750

- High strength winch rope, pull up to 4500 lbs
- Rope length up to 12 meters.
- Light weight, easy to carry
- Durable, sea water resistance, UV resistance and temperature difference repetition, etc
- Convenient, fast and safe operation

\*\*it could be used on any CFMOTO vehicle which equipped with a winch



### Winch Rope Fairlead

Accessory Code: 7030-150701

- Used with CFMOTO winch
- Aluminum fairlead reduces wear on wire rope for heavy attachment application

\*\*it could be used on any CFMOTO vehicle which equipped with a winch



### Hitch Kit (290mm)

Accessory Code: 9AW#-808100

- 2 inch hitch kit for ATV/UTV
- 290mm length towing bar (from pin shaft hole to hitch ball hole)
- Easy to install and remove
- E-coated with black powder coat

\*\* CFMOTO have 2 kinds of hitch kits for CFMOTO vehicles. consumer can order the hitch kit as need.

\*\* Before order hitch kit, please ensure your vehicle have hitch mounting bracket firstly.



### Plow Push Tube Assembly

Accessory Code: 5HYV-804200-1000

- For CFMOTO plow
- Plow wall thickness 5mm
- Attach the plow mount bracket at the front of vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Tree Saver Strap

Accessory Code: 9DS#-808302-6000

- Large eyes with heavy duty chafe protection allow for easy rigging
- Bright yellow nylon provide excellent visibility when winching
- Center chafe protects from abrasion damage

\*\*available for ATV/SxS



### Winch Fairlead Kit

Accessory Code: 9AWV-808600-8000

- Used with CFMOTO winch
- It includes a fairlead, a hook and a stopper.

\*\*it could be used on any CFMOTO vehicle which equipped with a winch



### Plow Mount Bracket Assembly

Accessory Code: 5BYV-804200-1000

- For ZFORCE 1000 SPORT LE & ZFORCE 1000 SPORT R
- Wall Thickness: 6mm
- Install on the front of vehicle easily and lock the plow push tube easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat

\*\*The other parts of the plow system need to be purchased separately.



### Plow Fender

Accessory Code: 5HYV-804400-1000

- For CFMOTO plow
- Wall Thickness: 3mm
- Install on CFMOTO plow system easily
- E-coated with black powder coat

• Reminding: this code is for a pair of plow fenders.

\*\*The other parts of the plow system need to be purchased separately.

### Plow Markers, Pair

Accessory Code: 5HYV-806400-1000

- For CFMOTO plow, Sold in pairs
- Height: 75mm (29.5 inch)
- Bright orange color, help locate the edges of plow
- Install on CFMOTO plow system easily

\*\*The other parts of the plow system need to be purchased separately.



### 60" Plow Blade Assembly

Accessory Code: 9AWV-804300-2000




### 72" Plow Blade Assembly

Accessory Code: 5HYV-804300-1000

- For ZFORCE 1000 SPORT LE & ZFORCE 1000 SPORT R
- Plow wall thickness 2.5mm
- Attach the plow push tube at the front of vehicle easily
- Increased sacrifice anodes for longer use of snow plows
- E-coated with black powder coat
- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.

\*\*The other parts of the plow system need to be purchased separately



### 60" Plow Deflector Assembly

Accessory Code: 9AWV-804500-2000

### 72" Plow Deflector Assembly

Accessory Code: 5HYV-804500-1000

- For CFMOTO Snow Plow
- Keeps snow from flying into your face
- Made of black hard rubber
- Use metal plate and bolts to lock deflector on plow firmly
- Compatible with plow markers & fenders

\*\*The other parts of the plow system need to be purchased separately.



### CFMOTO POWER – Generator G1

Accessory Code: i20, i25, i30

- 15% lower fuel consumption, especially conventional generators;
- 2.5% lower THD stable output for precise instrument;
- 50°C high-temperature environment workable, no overheating shut-down;
- 8 minutes to access to any part, for easy inspection, maintenance or repair;

- Starting direct gravity fuel supply, for better recoil starting by 1-2 pulls;
- Patented outer structure of fully-enclosed housing for strength and lower noise;
- Patented inner structure of dual-fan, dual-air channel, dual-muffler, and double-layer acoustic hood for better cooling, lower emission and noise.



- Fuel gauge, to indicate fuel capacity directly;
- Reset function, no need to restart once overload;
- Separate fuel and electric switch, run out remaining fuel, better for long storage and reuse;
- Date center VFT, to show instant V/Hz/t data;
- AC receptacle, various for different countries;

## CFMOTO POWER – Generator G1

Accessory Code: i45, i45E

- Convenient rear cover for repair and all maintenance items
- Compact size, 10% less than competitors, to save space
- Fashionable design to attract eyesight
- Super silent, not disturb other persons
- 2.5% lower THD stable output for precise instrument
- lower fuel consumption, especially conventional generators
- Patented inner and outer structures, more strength and stability



# CFMOTO POWER



### Stackable design

- Flat top design, as a table, easily to place extra stuff on;
- Stackable design to save space and move easily;

### Noise

- Super silent model with noise proof plastic housing and inner noise reduction design, to give you a quite experience;
- Noise level 55-60dB@7m

### Digital data center VFT

Indicate operation data, easy to read:

- V-Voltage
- F-Frequency
- T-Time for single/total hours

### Auto air venting system

To keep the air pressure balanced between fuel tank and outside, no need to turn on cap knob for fuel supply.  
Simply the operation.

### Repair cover

Simply remove two screws to disassemble the repair door easily;  
Do repair and maintenance work in one location, as follows:

- Engine oil filling and drain
- Air box maintenance
- Spark plug maintenance
- Gasoline drain from carburetor

### Integrated control panel

All control units are integrated in control panel area, easy and simple to operate.

## CFMOTO POWER – Generator G1

	i20	i25	i27/i30	i45
Engine model	LH148F	LH148F-G	LH148F-G	LH170F
Engine displacement	79cc	79cc	79cc	212 cc
Engine type	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke, OHV
AC Starting power (KW)	2.0	2.4	3.0	4.5
AC Running power (KW)	1.8	2.1	2.1	3.7
DC output	Cig socket: 12V/8A	Cig socket: 12V/8A	Cig socket: 12V/8A	Cig socket: 12V/8A Dual USB 5V/2A
Starting system	Recoil	Recoil	Recoil	Recoil
Noise Level (dbA@7m)	52-59	52-59	52-59	55-60
N.W.(KGS)/G.W.(KGS)	19.8/22.5	19.8/22.5	19.8/22.5	36.6/40.3
Dimension(mm)	512*315*447	512*315*447	512*315*447	580*453*481
Packing size(mm)	542*350*506	542*350*506	542*350*506	611*487*530
Oil capacity	400ml	400ml	400ml	600ml
Fuel tank capacity	5L	5L	5L	7L
Running time (hrs)	6-20	5-20	5-20	N/A
THD	<2.5%	<2.5%	<2.5%	<2.5%
ECO mode	Yes	Yes	Yes	Yes
Low Oil alarm	Yes	Yes	Yes	Yes
Overload alarm	Yes	Yes	Yes	Yes
Output indicator	Yes	Yes	Yes	Yes
Reset button	Yes	Yes	Yes	Yes
Fuel gauge	Yes	Yes	Yes	Yes
Certification	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	Euro V emission, EPA	CE, Euro V emission, EMC, EPA


	i45E	i200	i250	i270/i300
Engine model	LH170F	LH148F	LH148F-G	LH148F-G
Engine displacement	212 cc	79cc	79cc	79cc
Engine type	Air cooled, Four-Stroke, OHV	Air cooled, Four-Stroke	Air cooled, Four-Stroke	Air cooled, Four-Stroke
AC Starting power (KW)	4.5	2.0	2.4	3.0
AC Running power (KW)	3.7	1.8	2.1	2.1
DC output	Cig socket: 12V/8A Dual USB 5V/2A	Dual USB 5V/2A	Dual USB 5V/2A	Dual USB 5V/2A
Starting system	Recoil/Electric/Remote	Recoil	Recoil	Recoil
Noise Level (dbA@7m)	55-60	52-59	52-59	52-59
N.W.(KGS)/G.W.(KGS)	37.7/41.4	19/21	19/21	19/21
Dimension(mm)	580*453*481	480*315*415	480*315*415	480*315*415
Packing size(mm)	611*487*530	515*345*468	515*345*468	515*345*468
Oil capacity	600ml	400ml	400ml	400ml
Fuel tank capacity	7L	4L	4L	4L
Running time (hrs)	N/A	4.5hrs@75% output	4.5hrs@75% output	4.5hrs@75% output
THD	<2.5%	<2.5%	<2.5%	<2.5%
ECO mode	Yes	Yes	Yes	Yes
Low Oil alarm	Yes	Yes	Yes	Yes
Overload alarm	Yes	Yes	Yes	Yes
Output indicator	Yes	Yes	Yes	Yes
Reset button	Yes	Yes	Yes	Yes
Fuel gauge	Yes	Yes	Yes	Yes
Certification	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	CE, Euro V emission, EMC, EPA	Euro V emission, EPA



## CFMOTO POWER – Power Bank

Accessory Code: P600 PRO

- SiC two-way inverter, the efficiency is as high as 95% or more
- Fast charge 1.5h, no need to wait
- A-turbo technology can drive as high as 1800W electrical application
- Low temperature -20 C application, to cope with severe cold
- Technological style appearance matches outdoor enthusiast



## CFMOTO POWER – Power Bank


Accessory Code: 1360E

- 94V-0 grade fireproof shell, anti-fall and wear-resistant;
- Support three charging methods: Solar charging, Mains charging, and Car charging;
- Two-way inverter fast charging, full power in 2 hours; built-in EPS;
- 4 kinds of interfaces, 9 output ports, multiple devices can be used at the same time;
- Operating temperature: charging -10 C to 40 C, discharging -20 C to 45 C.



## CFMOTO POWER – Power Bank

Function	Specification	P600 pro	1360E
Battery	Battery Type Battery Capacity Cell Cycle Life	Lithium-iron battery 584Wh (15.2V, 38.4Ah) 2000 times ≥70%	Lithium-iron battery 1361Wh (22.5V, 60.5Ah) 3000 times ≥85%
Charging	Mains input Solar Panel input Car Socket (Cigarette Lighter) input USB input	550W max 200W max (DC 11-30V, 12A) 96W max (DC 12V/24V, 8A) N.A.	800W max 400W max (DC 12V-60V/15A) 120W max TYPE-C: PD100W
Discharging	Rated output A-Turbo Surge power USB output DC 5521 output Car Socket (Cigarette Lighter) output Wireless Charge	100V-120V 60Hz: 2*AC 600W (Surge 1800W) (Total) 220V-240V 50Hz: 2*AC 600W (Surge 1800W) (Total) Surge 1800W TYPE-C: 1*100W; 1*60W USB-A: 2*18W 2*12V/10A, 120W max 12V/10A, 120W max N.A.	100V-120V 60Hz: 3*AC 1000W (Total) 220V-240V 50Hz: 2*AC 1000W (Total) N.A. TYPE-C: 2* PD100W USB-A: 2*QC3.0 18W, 2*5V/2.4A 2*12V/5A 12V/10A 10W
Basic information	Weight Dimension Working Temperature Mode Ambient Light	7.6kg 285*209*214mm Charge: -10 C -45 C Discharge: -20 C -45 C Boot mode, Defect mode, charging mode, breathing mode, streaming mode, diffusion mode, monochrome mode, OTA upgrade mode, Bluetooth connection mode.	11.2kg 340*235*206mm Charge: -10 C -40 C Discharge: -20 C -45 C N.A.
Basic information	APP Monitoring	With Bluetooth or WIFI connection, power capacity deflection, function setting, remote control, system upgrade	N.A.
Basic information	Certification	CE/FCC, JIS, RoHS2.0, Reach	CE/FCC, ETL, PSE, CB, RCM, ROHS



*experience  
more  
together*

